


GENESIS INTERNATIONAL, INC. SHERLÓCKTM

ELECTRO-CHEMICAL AMMONIA REFRIGERANT GAS SENSOR IN STANDARD NEMA 3R HOUSING



The **SHERLOCK** Ammonia (NH₃) Electro-Chemical Cell Refrigerant Gas Sensor was designed to monitor for the presence of Ammonia refrigerant gases within an enclosed space. The sensor is mounted within the space to be monitored and connected by cable to a SHERLOCK or Wizard Control. The "Electro-Chem" comes in a NEMA 3R Grey plastic box (pictured) or a NEMA 3R Washdown Housing. The Electro-Chem is a reliable method of monitoring for a level refrigerant gas leaks in environments that have high humidity.

The LED on the front of the sensor remains lit when the sensor is operating withing parameters. The LED will flash when the sensor element needs to be changed. After changing the sensor element, a push button on the sensor will reset the timer for when the next time the element needs to be changed out.

SPECIFICATIONS

ENCLOSURE RATING NEMA 3R ABS

Gray Plastic,

DIMENSIONS 6.88 x 3.58 x 2.13 Inches (mm) $(175 \times 91 \times 54)$

OPERATING ENVIRONMENT TEMPERATURE

Machine Room Model Part Number 82-0460

32°-110°F (0°-43.3°C)

Freezer Room Model Part Number 82-0461

-40°-110°F (-40°-43.3°C)

HUMIDITY 0 - 90% RH

Non-Condensing

12VDC, 0.1 Amps **POWER INPUT**

OUTPUTS Current Driven

EFFECTIVE RANGE 0 - 500 ppm

±1 ppm at 77°F (25°C), **SENSITIVITY**

45% RH

RESOLUTION 1 ppm

Under Than 20 Seconds **RESPONSE TIME**

CALIBRATION Every 12 Months and

after new sensor cell is

installed.

WARM-UP TIME Readings will stabilize in

30 Minutes

LIFE EXPECTANCY Average of 24 Months,


Sensor Cell can be Field

Replaced


APPLICATIONS

Typical applications include: Refrigeration Mechanical Rooms Refrigerated Rooms Food Processing Plants

MOUNTING & DIMENSIONS



SENSOR WIRING DIAGRAM





WARNING!!!! The Electro-Chemical sensor will pick up all types of ammonia gas including fumes from household cleaners containing ammonia and is not to be applied into all refrigerated storage applications where other toxic gases are used in the same room. Some installations are not suitable for Electro-Chemical technology. Misapplication may result in damage to sensor. Contact the factory for a specific list of approved applications.

GENESIS INTERNATIONAL, INC.

1040 FOX CHASE INDUSTRIAL DRIVE ARNOLD, MISSOURI 63010

WEBSITE: WWW.GENESIS-INTERNATIONAL.COM

PHONE: (636) 282-0011 FAX: (636) 282-2722

EMAIL: MAIL@GENESIS-INTERNATIONAL.COM